

Convertisseurs

NA-4

Pont Ethernet vers Fohhn Net, entrée : Ethernet (RJ-45), sortie : Fohhn Net (RJ-45)



Convertisseurs NA-4

Le NA-4 est un pont Ethernet Fohhn Net permettant d'intégrer les dispositifs Fohhn Net dans un réseau local basé sur Ethernet. Le NA-4 peut être utilisé avec tous les appareils Fohhn qui ont une interface Fohhn Net basée sur RS-485.



Main features

- Connecteurs : Port Ethernet 100Base-TX avec PoE, port USB-C pour la configuration et l'alimentation en option, Fohhn-Net (RJ-45).
- Plusieurs NA-4 peuvent être utilisés et contrôlés simultanément par l'intermédiaire de Fohhn Audio Soft
- Les appareils Fohhn Net peuvent être commandés et surveillés à l'aide du protocole NA-4 over TCP.
- Plugin Q-SYS disponible
- 1 U, 1/2 19"
- Supports de montage pour rack inclus

Disponible avec les options de couleur suivantes



Noir

Données techniques

Physical features

dimensions (w × h × d)	210 × 44 × 172 mm
------------------------	-------------------

Electronic features

protocols	IPv4, Fohhn-Net over UDP, TCP Text Protocol
-----------	---

integration in media control	UDP and TCP text protocol
------------------------------	---------------------------

Connections

network configuration	Link-Local, DHCP, static address
-----------------------	----------------------------------

Fohhn Net interface	RJ-45, RS-485, galvanically isolated
---------------------	--------------------------------------

ethernet interface	100Base-TX
--------------------	------------

user configuration	USB-C, USB 2.0 Full Speed
--------------------	---------------------------

optional power supply	USB-C, 5 V, 500 mA
-----------------------	--------------------

PoE power supply	IEEE 802.3af, Class 1 3,84 W
------------------	------------------------------

Fohhn Audio AG
Großer Forst 15
72622 Nuertingen
Germany

Phone +49 7022 93323-0
Fax +49 7022 93324-0
www.fohhn.com
info@fohhn.com

