



Converters

NA-4

Ethernet to Fohhn Net bridge, input: Ethernet (RJ-45), output: Fohhn Net (RJ-45)



Converters NA-4

The NA-4 is a Fohhn Net Ethernet bridge for integrating Fohhn Net devices into a local Ethernet based network. The NA-4 can be used with all Fohhn devices that have an RS-485 based Fohhn Net interface.



Main features

- Connectors: 100Base-TX Ethernet port with PoE, USB-C port for configuration and optional power supply, Fohhn-Net (RJ-45)
- Multiple NA-4's can be used and controlled simultaneously via Fohhn Audio Soft
- Fohhn Net devices can be controlled and monitored with NA-4 over TCP protocol
- Q-SYS Plugin available
- 1 U, 1/2 19"
- Mounting brackets for rack included

Available with the following color options



Black



Technical data

Physical features

dimensions (w × h × d)	210 × 44 × 172 mm
------------------------	-------------------

Electronic features

protocols	IPv4, Fohhn-Net over UDP, TCP Text Protocol
-----------	---

integration in media control	UDP and TCP text protocol
------------------------------	---------------------------

Connections

network configuration	Link-Local, DHCP, static address
-----------------------	----------------------------------

Fohhn Net interface	RJ-45, RS-485, galvanically isolated
---------------------	--------------------------------------

ethernet interface	100Base-TX
--------------------	------------

user configuration	USB-C, USB 2.0 Full Speed
--------------------	---------------------------

optional power supply	USB-C, 5 V, 500 mA
-----------------------	--------------------

PoE power supply	IEEE 802.3af, Class 1 3,84 W
------------------	------------------------------

Fohhn Audio AG
Großer Forst 15
72622 Nuertingen
Germany

Phone +49 7022 93323-0
Fax +49 7022 93324-0
www.fohhn.com
info@fohhn.com

